

IMPROVING BIRTH OUTCOMES POLICY STATEMENT

POSITION:

ASTHO supports state and territorial health agencies in improving birth outcomes via population health strategies, including policy and comprehensive systemwide changes. Health officials can leverage public health programs, social services, and primary care services to improve care quality and reduce the costs associated with poor birth outcomes across both the healthcare system and among families.

BACKGROUND:

One in 10 infants is born preterm (before 37 weeks gestation).¹ In the United States, the preterm birth rate declined 8 percent between 2007 and 2014 but began to increase again between 2015 and 2017.² Preterm infants are at greater risk of developing chronic conditions as adults, such as diabetes and heart disease.¹ Preterm births also bring significant financial costs: the medical, educational, and lost productivity costs associated with preterm births were more than \$26 billion in 2005, equaling \$51,600 per infant born preterm.³

While the U.S. infant mortality rate of 5.9 deaths per 1,000 live births (before age one) is a significant decrease from just 10 years earlier,^{4,5} state infant mortality rates range widely between states from nearly zero up to 9.1 deaths per 1,000 births.⁶ Preterm birth is a major factor contributing to infant mortality along with birth defects and congenital anomalies, infant sleeping position and location, overheating, and maternal smoking and secondhand smoke exposure.

There are significant racial and ethnic inequities at all economic levels in preterm birth and infant mortality rates. The preterm birth rate for African American women is 49 percent higher than the preterm birth rate for all other racial and ethnic groups.⁷ Higher rates of preterm birth and low birth weight babies are a significant part of the reason that African Americans experience an infant mortality rate more than twice the national average (11.3 deaths per 1,000 live births). American Indian and Alaska Native women, who also have an infant mortality rate higher than the national average (8.3 deaths per 1,000 live births), have not experienced the same decreases as other populations during the last decade.^{8,9}

Summary of Recommendations:

- Develop comprehensive and systematic approaches by prioritizing prevention policies across disciplines and improving state and territorial public health infrastructure.
- Work through state or regional perinatal quality collaboratives.
- Support preconception health and reproductive life planning within existing family planning, educational, and public health settings.
- Provide behavioral and mental health screening.
- Coordinate and collaborate across agencies and sectors to increase payment for, availability of, and access to evidence-based interventions.
- Develop, review, and enhance regionalized maternal and neonatal care systems to ensure access to risk-appropriate care in communities.
- Collaborate, coordinate, and fund a seamless continuum of services to families across public health, social, and medical programs.
- Evaluate the impact of programs using public health surveillance systems and data sources to monitor and track trends in populations.
- Address the social and structural determinants of birth outcomes through a systemic approach.

RECOMMENDATIONS/EVIDENCE-BASE:

ASTHO recommends the following policy and systemwide changes for improving birth outcomes:

- Develop comprehensive and population health approaches to improve birth outcomes by prioritizing prevention policies across disciplines, enabling and facilitating access to care, and improving state and territorial public health infrastructure, with an emphasis on reducing health disparities and assuring that necessary services are available to high-risk populations.
- Work through state or regional perinatal quality collaboratives (PQCs), which bring together perinatal healthcare providers and public health professionals to improve maternal and perinatal health outcomes by supporting evidence-based clinical practices and processes.¹⁰
- Ensure access to the full range of contraceptive methods for women of reproductive age and promote preconception health, intrapartum care, healthcare, and reproductive life planning within existing family planning, educational, and public health settings. Providing access to family planning services that include the full range of contraceptive options, counseling, preconception, and interconception care helps women prevent both unplanned and closely spaced pregnancies, both of which are associated with negative birth outcomes.¹¹
- Provide behavioral and mental health screening, referral, and treatment for maternal depression and other perinatal mood and anxiety disorders. Work with Medicaid and private insurance to reimburse providers for using screening protocols to detect substance misuse and addiction, maternal depression, and perinatal mood and anxiety disorders early in pregnancy, and to identify adverse outcomes in newborn and infant development.¹² Implement prevention and intervention opportunities with perinatal quality collaboratives and OB/GYN, neonatology, and substance use treatment providers along a continuum of care from the preconception period to early childhood and beyond to help reduce the impact of substance use and addiction on negative birth outcomes.^{13,14,15}
- Coordinate and collaborate across agencies and sectors with Medicaid, healthcare providers, professional organizations, and other stakeholders to increase payment for, availability of, and access to evidence-based interventions. Educate providers and patients on evidence-based interventions for improving birth outcomes, including proper use of 17P (injectable progesterone), aspirin, group prenatal care, home visits, and non-medically indicated elective inductions and Cesarean sections.^{16,17,18,19,20}
- Develop, review, and enhance regionalized maternal and neonatal care systems in collaboration with healthcare provider organizations, hospitals, and payers to ensure that all pregnant women and newborns have access to risk-appropriate care that is objectively designated to ensure that those likely to need more intensive clinical services receive care at a facility able to support them.²¹
- Collaborate, coordinate, and fund a seamless continuum of services to families across public health, social, and medical programs, including programs such as the Title V Maternal and Child Health (MCH) Block Grant; Special Supplemental Nutritional Program for Women, Infants, and Children (WIC); Title X Family Planning; home visitation programs; and Medicaid. Consider coordinating other public health and medical services, including those for children and youth with special healthcare needs (CYSHCN), HIV, injury and violence prevention, oral health, chronic disease, early learning, substance misuse and addiction, and behavioral health.
- Evaluate the impact of programs using public health surveillance systems to track progress in populations, communities, states, and territories. Data sources for monitoring and assessment include vital statistics, hospital discharge data, electronic health records, and health surveillance systems, such as birth defects surveillance and fetal infant mortality review. Provide continuous

quality improvement training using state and territorial datasets and expand maternal and child health surveys and surveillance projects to every state.

- Address the social and structural determinants of birth outcomes through a systemic approach by ensuring that leadership, infrastructure, policies, and strategies are designed to achieve health equity through social, economic, and political change.^{22,23} Eliminate health disparities by incorporating approaches that modify or influence social determinants of health, such as changing the environments in which families live or improving the ability of families to thrive in their environments. This includes mobilizing community health and wellness resources, identifying individuals and communities of greatest need, and using proven practices to engage, inform, and deliver needed health and social services.

APPROVAL DATES

Population Health & Informatics Policy Committee Approval: February 7, 2018

Board of Directors Approval: June 19, 2019

Policy Expires: June 2022

For ASTHO policies and additional publications related to this policy statement, visit

www.astho.org/Policy-and-Position-Statements.

ASTHO membership supported the development of this policy, which was subsequently approved by the ASTHO Board of Directors. Be advised that the statements are approved as a general framework on the issue at a point in time. Any given state or territorial health official must interpret the issue within the current context of his/her jurisdiction and therefore may not adhere to all aspects of this Policy Statement.

¹ Martin JA, Hamilton BE, Osterman MJK. "Births in the United States." NCHS Data Brief No. 287, September 2017. Available from: <https://www.cdc.gov/nchs/products/databriefs/db287.htm>. Accessed 10-3-2017.

² Martin JA, Hamilton BE, Osterman MJK. "Births in the United States, 2017." NCHS Data Brief No. 318, August 2018. Available from: <https://www.cdc.gov/nchs/data/databriefs/db318.pdf>. Accessed 2-7-2019.

³ Board on Health Sciences Policy, Behrman RE, Butler AS (eds). Preterm Birth: Causes, Consequences, and Prevention. Committee on Understanding Premature Birth and Assuring Healthy Outcomes. National Academies Press. 2006. Available from: http://books.nap.edu/catalog.php?record_id=11622. Accessed 2-7-2019.

⁴ Healthy People 2020. Maternal, Infant, and Child Health. Available from: <https://www.healthypeople.gov/2020/topics-objectives/topic/maternal-infant-and-child-health>. Accessed 10-13-2017.

⁵ National Center for Health Statistics. *Health, United States, 2016*. 2017. Available from: <https://www.cdc.gov/nchs/hus/index.htm>. Accessed 10-13-2017.

⁶ National Center for Health Statistics. "Infant Mortality Rates by State, 2016." Available from: https://www.cdc.gov/nchs/pressroom/sosmap/infant_mortality_rates/infant_mortality.htm. Accessed 5-27-2018.

⁷ March of Dimes. "2018 Premature Birth Report Card." 2018. Available at <https://www.marchofdimes.org/materials/PrematureBirthReportCard-United%20States-2018.pdf>. Accessed 11-20-2018.

⁸ National Center for Health Statistics. "Births: Preliminary Data for 2015, Supplemental Tables." Available from: https://www.cdc.gov/nchs/data/nvsr/nvsr65/nvsr65_03_tables.pdf. Accessed 10-13-2017.

⁹ Matthews TJ, Driscoll AK. "NCHS Data Brief No. 279: Trends in Infant Mortality, 2005-2014." 2017. Available from: <https://www.cdc.gov/nchs/products/databriefs/db279.htm>. Accessed 10-13-2017.

¹⁰ CDC. "Reproductive Health: Perinatal Quality Collaboratives." Available from: <https://www.cdc.gov/reproductivehealth/maternalinfanthealth/pqc.htm>. Accessed 5-28-2018.

-
- ¹¹ March of Dimes. "Fact Sheet: Birth Spacing and Birth Outcomes." 2015. Available at <https://www.marchofdimes.org/MOD-Birth-Spacing-Factsheet-November-2015.pdf>. Accessed 10-13-2017.
- ¹² American College of Obstetricians and Gynecologists. "ACOG Committee Opinion Number 630: Screening for Perinatal Depression." 2015. Available from: <https://www.acog.org/Clinical-Guidance-and-Publications/Committee-Opinions/Committee-on-Obstetric-Practice/Screening-for-Perinatal-Depression>. Accessed 5-28-2018.
- ¹³ ASTHO. "Neonatal Abstinence Syndrome: How States Can Help Advance the Knowledge Base for Primary Prevention and Best Practices of Care." Available from: <http://www.astho.org/Prevention/NAS-Neonatal-Abstinence-Report/>. Accessed 5-28-2018.
- ¹⁴ ASTHO. "Companion Report: How State Health Departments Can Use the Spectrum of Prevention to Address Neonatal Abstinence Syndrome." Available from: <http://www.astho.org/Prevention/Rx/NAS-Framework/>. Accessed 5-28-2018.
- ¹⁵ National Institute on Drug Abuse. "Substance Use in Women: Substance Use While Pregnant and Breastfeeding." Available from: <https://www.drugabuse.gov/publications/research-reports/substance-use-in-women/substance-use-while-pregnant-breastfeeding>. Accessed 5-28-2018.
- ¹⁶ National Institute for Children's Health Quality and National Academy for State Health Policy. "Preventing Preterm Birth Through Progesterone: How Medicaid Can Help Increase Access." Available from: [https://www.nichq.org/sites/default/files/resource-file/Preventing_Preterm_Birth_CoIN-NASHP%20\(1\).pdf](https://www.nichq.org/sites/default/files/resource-file/Preventing_Preterm_Birth_CoIN-NASHP%20(1).pdf). Accessed 5-27-2018.
- ¹⁷ CDC Public Health Grand Rounds. "Public Health Strategies to Prevent Preterm Births." 2015. Available from: <https://www.cdc.gov/cdcgrandrounds/archives/2015/november2015.htm>. Accessed 10-13-2017.
- ¹⁸ Administration for Children and Families, Department of Health and Human Services, and Health Resources and Services Administrations Maternal and Child Health. *Demonstrating Improvement in Maternal, Infant, and Early Childhood Home Visiting Program: A Report to Congress, March 2016*. Available from: <https://mchb.hrsa.gov/sites/default/files/mchb/MaternalChildHealthInitiatives/HomeVisiting/pdf/reportcongress-homevisiting.pdf>. Accessed 11-29-2017.
- ¹⁹ Gareau S, Lopez-DeFede A, Loudermilk BL, et al. "Group prenatal care results in Medicaid savings with better outcomes: a propensity score analysis of CenteringPregnancy participation in South Carolina." *Maternal and Child Health Journal*. 2016. 20:1384-1393. Available from: <https://link.springer.com/article/10.1007/s10995-016-1935-y>. Accessed 5-28-2018.
- ²⁰ Clark S, Miller D, Belford M, Dildy G, et al. "Neonatal and maternal outcomes associated with elective term delivery." *American Journal of Obstetrics and Gynecology*. 2009. 200:156.e1-.e4.
- ²¹ CDC. "CDC Levels of Care Assessment Tool (CDC LOCATe.)" Available from: <https://www.cdc.gov/reproductivehealth/maternalinfanthealth/LOCATe.html>. Accessed 4-22-2018.
- ²² Lu MC, Halfon N. "Racial and ethnic disparities in birth outcomes: a life-course perspective." *Maternal and Child Health Journal*. 2003. 7:13-30. Available from: <https://link.springer.com/content/pdf/10.1023%2FA%3A1022537516969.pdf>. Accessed 10-13-2017.
- ²³ Center for Reproductive Rights. *Black Mamas Matter: A Toolkit for Advancing the Human Right to Safe and Respectful Maternal Health Care*. Available at <https://www.reproductiverights.org/document/black-mamas-matter-toolkit-for-advancing-human-right-to-safe-respectful-maternal-health-care>. Accessed 4-22-2018.